

# HUSHTEC-USA™

## ROCK BREAKER



[www.HUSHTECUSA.com](http://www.HUSHTECUSA.com)

# ROCK BREAKER ATTACHMENT

If you are in the demolition industry, you know the noise your work can cause will eventually create complaints and triggering potential project shutdowns at any given time generating loss of revenue and productivity.

One of the main causes of that noise is your rock breaker as they are designed for heavy, high-impact work, so noise is inevitable.

- Reduces rock breaker noise
- Controls the dust created by rock breakers
- Prevents flying debris
- One-minute installation/removal time
- Suitable for rock breakers from 1T to over 100T
- Personalized branding available

## PROTECT WORKERS FROM EXCESSIVE NOISE

Our Hushtec USA Rock Breaker attachment reduces the noise levels of rock breakers by up to 10db. That's a significant reduction, mitigating the impact of excessive noise.

## BENEFITS OF ROCK BREAKER NOISE REDUCTION SHROUDS

- Workers on the demolition site
- Nearby residents and those who work in companies close to the demolition site
- Wildlife close to the demolition site that would otherwise be disturbed by excess noise

## REASONS TO USE HUSHTEC USA NOISE REDUCTION SHROUD

- Hushtec USA are experts in the noise reduction industry
- High-quality products made using the best materials
- We design and manufacture our products in-house
- We offer standard products and custom designs
- Our rock breaker noise reduction attachment is suitable for all makes, models, and types of rock breakers






**THE NOISE IMPACT OF ROCK BREAKERS**

If you regularly use a rock breaker, you know it is an essential piece of equipment and very dangerous. Given the way a rock breaker works the noise is unavoidable.

Rock Breakers produce noise, dust and flying debris. All these factors present risks to the operator and others who are close by including the impact to animals & wildlife.

**NOISE TESTING  
THIRD OCTAVE BRAND SPECTRA FOR MEASUREMENTS**



**MEASUREMENT RESULTS**

ROCK BREAKER Attachment	DURATION (m:ss)	NOISE Level
On	6:25	78 dB LAeq
On	7:35	86 dB LAeq

**MAXIMUM SOUNDPROOFING**

The material used in the rock breaker shroud has been carefully designed to maximize its soundproofing capabilities. It specifically acts on the sound produced by the steel tip of the rock breaker striking the surface, i.e., rock, concrete, etc. The reduction in sound is usually about 10db.

The transparent attachment is fitted around the steel tip, it is also effective at catching flying debris and dust. The material we use is strong, so it will not rip or tear as this debris hits it.



**FITTING OF THE SHROUD**

The transparent shroud attachment does not interfere with the chisel eliminating any loss of operator productivity.